

# T42526IO-RL GENERIC CSI APR6 154MMX300M - IO

## Ribbon : APR 6

APR®6 is the standard wax/resin ribbon of the ARMOR range: very versatile, it has been conceived to print all kinds of self-adhesive labels at the lowest heat settings. It also provides a higher level of mechanical resistance compared to the wax ribbons.

- Good print quality with all types of label material.
- A versatile, multi-use ribbon.
- Offers high print quality for small characters and barcodes.

## MAIN

<b>Branding</b>	INKANTO / WW(IO)	<b>Inking side</b>	Inside	<b>Roll type</b>	No take up core (standard)
<b>Your P/N</b>		<b>Stock</b>	France	<b>Surface (m²)</b>	46.2
<b>Pantone</b>	Black	<b>Qty / box</b>	5	<b>Roll Weight (g)</b>	491.57
<b>Min order qty (rolls)</b>	5	<b>Max external diameter of the roll (mm)</b>	67.3		


**For Printers**      GENERIC

## ROLL

<b>Core description</b>	25.4/33.0 Cardboard + PE Core	<b>Number + Position of notches</b>	No notch	<b>End of ribbon</b>	Transparent Trailer 60mm / Silver adhesive tape
<b>Internal core diameter (mm)</b>	25.50+/-0.20	<b>Core Identification Type</b>	Marking		
<b>Core length (mm)</b>	= film width	<b>Core marking data</b>	Armor lot nr marking - APR6/I		

**Assembling Specifications**

**Leader**



2/18



# PACKAGING

Roll label




Box Label



Outside box dimensions (mm) (Length x width x height)	244x207x145	Rolls quantity / pallet (mini - maxi)	300 - 525	Max dimensions (mm) (Length x width x height)	1200x800x1200
Volume (dm3)	7.32	Number of boxes per pallet (mini - maxi)	60 - 105		
Weight (kg - lb)	2.627 - 5.792	Number of boxes per range x number of rows per pallet	15 x 7		

Packaging blueprint



Palletization drawing

